


Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1
Level 1




5176
5177
5178
5179
5181
5182
5183
5184
5185
5186
5187
5188
5189
5190
5191
5192
5193
5194
5195
5196
5197
5198
5199

K. Iwasaki, H. Noguchi, R. Kato, Y. Imai, R. Sato. Reduction of tertiary amine N-oxide by purified cytochrome P-450. <i>Biochem Biophys Res Commun.</i> 1977. 77:1143-9
J. R. Jackson. Toxicity of herbicide containing glyphosate. <i>Lancet.</i> 1988. 1:414
B. S. Jacobson, F. Fong, R. L. Heath. Carbonic anhydrase of spinach: studies on its location, inhibition, and physiological function. <i>Plant Physiol.</i> 1975. 55:468-74
L. S. Jahnke. Measurement of hydroxyl radical-generated methane sulfinic acid by high-performance liquid chromatography and electrochemical detection. <i>Anal Biochem.</i> 1999. 269:273-7
S. G. Jenkinson. Free radical effects on lung metabolism. <i>Clin Chest Med.</i> 1989. 10:37-47
L. Jiang, Y. Zhang, Y. Sun, L. Hu, D. Gao. Artesunate Attenuates Lung Injury in Paraquat-Intoxicated Rats via Downregulation of Inflammatory Cytokines. <i>Clin Lab.</i> 2015. 61:1601-7
N. Kato, A. Ogamo. A TLC visualisation reagent for dimethylamphetamine and other abused tertiary amines. <i>Sci Justice.</i> 2001. 41:239-44
Elu Kats, N. Kozlov lu, B. A. Kiselev. [Photosensitized hydrogen release in photochemical systems using chlorophyll]. <i>Biofizika.</i> 1979. 24:801-5
K. Kawaguchi, N. Oku, K. Rin, K. Yamanaka, S. Okada. Dimethylarsenics reveal DNA damage induced by superoxide anion radicals. <i>Biol Pharm Bull.</i> 1996. 19:551-3
M. J. Kelner, R. Bagnell, K. J. Welch. Thioureas react with superoxide radicals to yield a sulfhydryl compound. Explanation for protective effect against paraquat. <i>J Biol Chem.</i> 1990. 265:1306-11
Y. P. Khanna, S. K. Taneja, H. G. Raj, T. A. Venkatasubramanian. Polyamines modify paraquat-induced changes in pulmonary superoxide dismutase and lipid peroxidation. <i>Res Commun Chem Pathol Pharmacol.</i> 1982. 35:337-40
A. B. Kharitonov, A. N. Shipway, I. Willner. An Au nanoparticle/bisbipyridinium cyclophane-functionalized ion-sensitive field-effect transistor for the sensing of adrenaline. <i>Anal Chem.</i> 1999. 71:5441-3
K. H. Kilburn, A. R. Hudson, G. M. Halprin, W. N. McKenzie, J. A. Merchant. Two patterns for bronchial damage from inhaled materials. <i>Chest.</i> 1974. 65:Suppl:61S-62S
B. C. Kim, C. H. Youn, J. M. Ahn, M. B. Gu. Screening of target-specific stress-responsive genes for the development of cell-based biosensors using a DNA microarray. <i>Anal Chem.</i> 2005. 77:8020-6
M. J. Kim, Y. H. Hwang, Y. H. Kim, D. Y. Lee. Immunomodulation of cell-penetrating tat-metallothionein for successful outcome of xenotransplanted pancreatic islet. <i>J Drug Target.</i> 2017. 25:350-359
P. M. Kim, P. G. Wells. Phenytoin-initiated hydroxyl radical formation: characterization by enhanced salicylate hydroxylation. <i>Mol Pharmacol.</i> 1996. 49:172-81
M. Kirkova, E. Ivancheva, E. Russanov, A. Topaloglou, H. Altmann. In vitro study of paraquat effects on malondialdehyde formation in thymus cells. <i>Acta Physiol Pharmacol Bulg.</i> 1986. 12:50-7
T. Kobayashi, K. Kubo. [Oxidant-induced lung injury]. <i>Nihon Naika Gakkai Zasshi.</i> 1990. 79:1234-8
R. Kohen, M. Chevion. Paraquat toxicity is enhanced by iron and reduced by desferrioxamine in laboratory mice. <i>Biochem Pharmacol.</i> 1985. 34:1841-3
R. Kohen, M. Chevion. Transition metals potentiate paraquat toxicity. <i>Free Radic Res Commun.</i> 1985. 1:79-88
F. Komada, K. Nishiguchi, Y. Tanigawara, T. Akamatsu, X. Y. Wu, S. Iwakawa, K. Okumura. Effect of transfection with superoxide dismutase expression plasmid on superoxide anion induced cytotoxicity in cultured rat lung cells. <i>Biol Pharm Bull.</i> 1996. 19:274-9
Y. Komiyama. [Drug testing with use of POCT]. <i>Rinsho Byori.</i> 2012. 60:1167-74
P. Korbashi, R. Kohen, J. Katzhendler, M. Chevion. Iron mediates paraquat toxicity in Escherichia coli. <i>J Biol Chem.</i> 1986. 261:12472-6

Carbonic anhydrase activity was determined in spinach ( <i>Spinacia oleracea</i> ) leaf organelles isolated on sucrose density gra
A liquid chromatographic (HPLC) method has been developed for direct quantitative determination of methane sulfinic a
Exposure to hyperoxia or a number of different environmental toxins can result in free radical-mediated lung injury. Spec
BACKGROUND: The present study was designed to analyze the dynamic changes in transforming growth factor beta 1 (TG
Application of citric acid/acetic anhydride reagent (CAR), a colour reagent selective for tertiary amines in solution, impro
We previously reported that DNA single-strand breaks (ssb) induced by exposure to dimethylarsinic acid (DMAA) were er
Thiourea and superoxide dismutase were effective antidotes to paraquat toxicity in an HL60 cell culture system, whereas
Lungs of rats intoxicated by paraquat either due to parenteral administration or incubation of tissue slices with toxin app
A film consisting of polyethyleneimine (PEI), Au nanoparticles (12 +/- 1 nm) and coadsorbed cyclobis(paraquat-p-phenyle
In this study, we describe a straightforward strategy to develop whole cell-based biosensors using fusions of the bacteria
Pancreatic islet transplantation is a promising treatment for treatment of type 1 diabetes; however, transplantation outc
Bioactivation of phenytoin and related teratogens by peroxidases such as prostaglandin H synthase (PHS) may initiate hy
The present experiments have shown that paraquat enhanced both O2- production and oxidation of exogenous NADPH i
The involvement of transition metal ions in paraquat toxicity was studied in bacterial model system. We show that the ac
Human Cu, Zn-superoxide dismutase (hSOD) cDNA was inserted into a eukaryotic expression plasmid (pRc/CMV) under t
Drug testing with the use of point of care testing (POCT) has been widely used in Japan, especially in the field of drug abu
The role of iron ions in paraquat toxicity was studied in bacterial system. We show that addition of ferrous iron led to an









5200
5201
5202
5203
5204
5205
5206
5207
5209
5210
5211
5212
5213
5214
5215
5216
5217
5218
5219

I. Kovacs, C. Holzmeister, M. Wirtz, A. Geerlof, T. Frohlich, G. Romling, G. T. Kuruthukulangarakoola, E. Linster, R. Hell, G. J. Arnold, J. Durner, C. Lindermayr. ROS-Mediated Inhibition of S-nitrosoglutathione Reductase Contributes to the Activation of Anti-oxidative Mechanisms. <i>Front Plant Sci.</i> 2016. 7:1669
K. Koyama, M. Yamashita, T. Tai, K. Tajima, T. Mizutani, H. Naito. The effect of chlorpromazine on paraquat poisoning in rats. <i>Vet Hum Toxicol.</i> 1987. 29:117-21
J. Krall, A. C. Bagley, G. T. Mullenbach, R. A. Hallewell, R. E. Lynch. Superoxide mediates the toxicity of paraquat for cultured mammalian cells. <i>J Biol Chem.</i> 1988. 263:1910-4
P. Kramer, A. T. Jung, A. Hamann, H. D. Osiewacz. Cyclophilin D Is Involved in the Regulation of Autophagy and Affects the Lifespan of <i>P. anserina</i> in Response to Mitochondrial Oxidative Stress. <i>Front Genet.</i> 2016. 7:165
A. Krasowska, A. Piasecki, A. Murzyn, K. Sigler. Assaying the antioxidant and radical scavenging properties of aliphatic mono- and di-N-oxides in superoxide dismutase-deficient yeast and in a chemiluminescence test. <i>Folia Microbiol (Praha).</i> 2007. 52:45-51
A. Krasowska, K. Sigler. Cell-protective and antioxidant activity of two groups of synthetic amphiphilic compounds--phenolics and amine N-oxides. <i>Folia Microbiol (Praha).</i> 2007. 52:585-92
J. A. Krzycki, J. G. Zeikus. Characterization and purification of carbon monoxide dehydrogenase from <i>Methanosarcina barkeri</i> . <i>J Bacteriol.</i> 1984. 158:231-7
E. Kukiela, A. I. Cederbaum. Ferritin stimulation of hydroxyl radical production by rat liver nuclei. <i>Arch Biochem Biophys.</i> 1994. 308:70-7
R. Kunitomo, Y. Miyauchi, M. Inoue. Synthesis of a cytochrome c derivative with prolonged in vivo half-life and determination of ascorbyl radicals in the circulation of the rat. <i>J Biol Chem.</i> 1992. 267:8732-8
C. F. Kuo, T. Mashino, I. Fridovich. $\alpha$ , $\beta$ -Dihydroxyisovalerate dehydratase. A superoxide-sensitive enzyme. <i>J Biol Chem.</i> 1987. 262:4724-7
E. Kurisaki. Lipid peroxidation in human paraquat poisoning. <i>J Toxicol Sci.</i> 1985. 10:29-33
R. Lanaro, J. L. Costa, S. O. Cazenave, L. A. Zanolli-Filho, M. F. Tavares, A. A. Chasin. Determination of herbicides paraquat, glyphosate, and aminomethylphosphonic acid in marijuana samples by capillary electrophoresis. <i>J Forensic Sci.</i> 2015. 60 Suppl 1:S241-7
L. S. Larsen, J. R. Sterrett, B. Whitehead, S. M. Marcus. Adjunctive therapy of phenytoin overdose--a case report using plasmaphoresis. <i>J Toxicol Clin Toxicol.</i> 1986. 24:37-49
B. Larsson, M. Nilsson, H. Tjalve. The binding of inorganic and organic cations and $H^+$ to cartilage in vitro. <i>Biochem Pharmacol.</i> 1981. 30:2963-70
B. Larsson, H. Tjalve. Studies on the mechanism of drug-binding to melanin. <i>Biochem Pharmacol.</i> 1979. 28:1181-7
B. Law, S. Weir. Fundamental studies in reversed-phase liquid-solid extraction of basic drugs; III: Sample matrix effects. <i>J Pharm Biomed Anal.</i> 1992. 10:487-93
C. Leboulanger, M. Bouvy, C. Carre, P. Cecchi, L. Amalric, A. Bouchez, M. Pagano, G. Sarazin. Comparison of the effects of two herbicides and an insecticide on tropical freshwater plankton in microcosms. <i>Arch Environ Contam Toxicol.</i> 2011. 61:599-613
C. Leboulanger, C. Schwartz, P. Somville, A. O. Diallo, M. Pagano. Sensitivity of two Mesocyclops (Crustacea, Copepoda, Cyclopidae), from tropical and temperate origins, to the herbicides, diuron and paraquat, and the insecticides, temephos and fenitrothion. <i>Bull Environ Contam Toxicol.</i> 2011. 87:487-93
S. M. Lee, S. B. Lee, C. H. Park, J. Choi. Expression of heat shock protein and hemoglobin genes in <i>Chironomus tentans</i> (Diptera, chironomidae) larvae exposed to various environmental pollutants: a potential biomarker of freshwater monitoring. <i>Chemosphere.</i> 2006. 65:1074-81

Nitric oxide (NO) has emerged as a signaling molecule in plants being involved in diverse physiological processes like ger
To establish some of the necessary steps in the toxic action of paraquat for cultured mammalian cells, we isolated paraqu
The mitochondrial permeability transition pore plays a key role in programmed cell death and the induction of autophag
The antioxidative action of amphiphilic mono-(alkanoylamino) ethyldimethylamine-N-oxides (EDA), di-N-oxides 1,1-bis {[
Two classes of newly synthesized amphiphilic compounds, phenolic antioxidants ("phenolics") and N-oxides exert in vivo
Carbon monoxide-dependent production of H <sub>2</sub> , CO <sub>2</sub> , and CH <sub>4</sub> was detected in crude cell extracts of acetate-grown Meth
Iron mobilized from ferritin has been shown to catalyze production of potent reactive oxygen intermediates. Experiment
Since cytochrome c and acetylated cytochrome c disappear from the circulation with a half-life of 4 min, these proteins c
Increasing the intracellular flux of O <sub>2</sub> by incubating aerobic Escherichia coli with paraquat or plumbagin markedly lower
The concentration of malondialdehyde (MDA) in tissues in paraquat poisoning was compared between humans and rats.
In this work, two methods were developed to determine herbicides paraquat, glyphosate, and aminomethylphosphonic
Phenytoin is widely used as an anticonvulsant. In overdose situations phenytoin demonstrates saturable metabolic kinet
Using a set of 13 basic solutes (including a quarternary ammonium compound) with controlled pKa, log P and plasma pro
Natural plankton communities from a tropical freshwater reservoir (Combani Reservoir, Mayotte Island, Mozambique Ch
Ecotoxicological assessment in the tropics is based mainly on knowledge gained from temperate organisms, although ma
To identify a sensitive biomarker of freshwater monitoring, we evaluated pollutant-induced expression of heat shock pro

Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant